

ipd1100madbvipTES-10

**Defense Information Infrastructure (DII)
Common Operating Environment (COE)**

**Installation Procedures (IP)
for the
METOC DBDB-V API (MADBV) Segment
of the
Tactical Environmental Support System Next Century
[TESS(NC)]
Meteorology and Oceanography (METOC) Database**

Preliminary Release

Document Version 1.1

2 October 1998

**Prepared for:
Naval Research Laboratory
Marine Meteorology Division
Monterey, CA**

**Prepared by:
Integrated Performance Decisions, Inc.
Middletown, RI**

Table of Contents

1	SCOPE	1
1.1	Identification	1
1.2	System Overview	1
2	REFERENCED DOCUMENTS	5
2.1	Government Documents.....	5
2.2	Non-Government Documents.....	6
3	SYSTEM ENVIRONMENT	7
3.1	System Requirements	7
3.1.1	Hardware Requirements.....	7
3.1.2	Operating System Requirements	7
3.1.3	Kernel Requirements.....	7
3.2	System and Site Preparations	7
3.2.1	System Configuration	7
3.2.2	Operating System Preparation.....	8
3.2.3	Tape/Disk Preparation	8
4	INSTALLATION INSTRUCTIONS	9
4.1	Installation on TAC-3/TAC-4 Systems	9
4.1.1	Media Booting Procedures for TAC-3/TAC-4 Systems.....	9
4.1.2	Installation Procedures for TAC-3/TAC-4 Systems.....	9
4.2	Installation on Windows NT Systems	10
4.2.1	Media Booting Procedures for Windows NT Systems.....	10
4.2.2	Installation on Windows NT Systems.....	10
4.3	Installation of Upgrades	10
4.4	Installation Verification	11
4.5	Initializing the Software	11
4.6	List of Changes and Enhancements.....	11
4.7	Important Considerations	11
5	NOTES.....	12
5.1	Glossary of Acronyms.....	12

List of Figures

1-1	TESS(NC) METOC Database - DII COE Segment View	3
1-2	Distributed APIs via COTS RDBMS Client/Server Functionality	3
1-3	Distributed APIs via DII COE Kernel Services (NFS).....	4

1 SCOPE

1.1 Identification

These Installation Procedures (IP) describe the installation of the Meteorology and Oceanography (METOC) Digitized Bathymetric Data Base – Variable resolution (DBDB-V) Application Program Interface (API) (MADBV) segment, Version 1.1 series, of the Tactical Environmental Support System Next Century [TESS(NC)] METOC Database. The MADBV segment provides APIs for the retrieval of historical data. This software is designed to run under the Defense Information Infrastructure (DII) Common Operating Environment (COE), release 3.1, on a Hewlett-Packard computer running HP-UX 10.20 or a personal computer running the Microsoft Windows NT 4.0 operating system with Service Pack 3.

1.2 System Overview

The APIs described in this document form a portion of the METOC Database component of the TESS(NC) Program (Navy Integrated Tactical Environmental Subsystem (NITES) Version I). On 29 October 1996, the Oceanographer of the Navy issued a TESS Program Policy statement in letter 3140 Serial 961/6U570953, modifying the Program by calling for five seamless software versions that are DII COE compliant, preferably to level 5.

The five versions are:

- NITES Version I The local data fusion center and principal METOC analysis and forecast system (TESS(NC))
- NITES Version II The subsystem on the Joint Maritime Command Information System (JMCIS) or Global Command and Control System (GCCS) (NITES/Joint METOC Segment (JMS))
- NITES Version III The unclassified aviation forecast, briefing, and display subsystem tailored to Naval METOC shore activities (currently satisfied by the Meteorological Integrated Data Display System (MIDDS))
- NITES Version IV The Portable subsystem composed of independent PCs/workstations and modules for forecaster, satellite, communications, and Integrated Command, Control, Communications, Computer, and Intelligence Surveillance Reconnaissance (IC4ISR) functions (currently the Interim Mobile Oceanographic Support System (IMOSS))

- NITES Version V Foreign Military Sales (currently satisfied by the Allied Environmental Support System (AESS))

NITES I acquires and assimilates various METOC data for use by US Navy and Marine Corps weather forecasters and tactical planners. NITES I provides these users with METOC data, products, and applications necessary to support the warfighter in tactical operations and decision making. NITES I provides METOC data and products to NITES I and II applications, as well as non-TESS(NC) systems requiring METOC data, in a heterogeneous, networked computing environment.

The TESS(NC) Concept of Operations and system architecture require that the METOC Database be distributed both in terms of application access to METOC data and products and in terms of physical location of the data repositories. The organizational structure of the database is influenced by these requirements, and the components of this distributed database are described below.

In accordance with DII COE database concepts, the METOC Database is currently composed of five DII COE-compliant *shared database* segments and one DII COE-compliant data segment. Associated with each shared database and data segment is an API segment. This organization is shown in Figure 1-1. The segments are arranged by data type as follows:

<u>Data Type</u>	<u>Data Segment</u>	<u>API Segment</u>
Grid Fields	MDGRID	MAGRID
Latitude-Longitude-Time (LLT) Observations	MDLLT	MALLT
Textual Observations and Bulletins	MDTXT	MATXT
Remotely Sensed Data	MDREM	MAREM
Imagery	MDIMG	MAIMG
Historic Bathymetry Data	MDDBV	MADBV




Figure 1-1. TESS(NC) METOC Database - DII COE Segment View

Typical client-server installations access shared database segments via a COTS RDBMS client/server as shown in Figure 1-2. This shows the shared database segments residing on a DII COE SHADE database server, with a NITES I or II client machine hosting the API segments. Communication between API segments and shared database segments is accomplished over the network using ANSI-standard Structured Query Language (SQL).




Figure 1-2. Distributed APIs via COTS RDBMS Client/Server Functionality

Data Segments are static files of historic data. DII COE data segments are available over a distributed network via DII COE Kernel Service (NFS). In this case, the data segments are accessed directly by the distributed APIs (Figure 1-3). The platform running the applications needing the data must first mount the file system containing the data segment. The remote system may then access the data from the mounted drive using NFS services. Access to the mounted drive is then transparent to the application/API utilizing the data.

Nites I/II under HP-UX

Nites I/II under Windows/NT




Figure 1-3. Distributed APIs via DII COE Kernel Services (NFS)

The MADBV segment deals with historic bathymetry data. The data are generated from the Oceanographic and Atmospheric Master Library (OAML) DBDB-V data and provide global water depth at various resolutions throughout the world.

2 REFERENCED DOCUMENTS

2.1 Government Documents

STANDARDS

MIL-STD-498 *Software Development and Documentation*
5 December 1994

SPECIFICATIONS

Unnumbered *Performance Specification (PS) for the Tactical*
5 December 1997 *Environmental Support System/Next Century TESS(NC)*
(AN/UMK-3)

Unnumbered *Software Requirements Specification for the Tactical*
30 September 1997 *Environmental Support System/Next Century*
[TESS(3)/NC] Meteorological and Oceanographic
(METOC) Database, Space and Naval Warfare Systems
Command, Environmental Systems Program Office
(SPAWAR PMW-185), Washington, DC

OTHER DOCUMENTS

Unnumbered *Database Design Description for the Tactical*
30 September 1997 *Environmental Support System/Next Century*
[TESS(3)/NC] Meteorological and Oceanographic
(METOC) Database, Space and Naval Warfare Systems
Command, Environmental Systems Program Office
(SPAWAR PMW-185), Washington, DC

DII.COE.DocReqs-5 *Defense Information Infrastructure (DII) Common*
29 April 1997 *Operating Environment (COE) Developer Documentation*
Requirements, Version 1.0

ipd1100madbvrmTES-10 *Application Program Interface Reference Manual*
2 October 1998 *(APIRM) for the METOC DBDB-V API (MADBV) Segment*
of the Tactical Environmental Support System Next
Century [TESS(NC)] Meteorology and Oceanography
(METOC) Database

ipd1100madbvpmTES-10 2 October 1998	<i>Programming Manual (PM) for the METOC DBDB-V API (MADBV) Segment of the Tactical Environmental Support System Next Century [TESS(NC)] Meteorology and Oceanography (METOC) Database</i>
ipd1200madbvsvdTES-10 2 October 1998	<i>Software Version Description (SVD) for the METOC DBDB-V API (MADBV) Segment of the Tactical Environmental Support System Next Century [TESS(NC)] Meteorology and Oceanography (METOC) Database</i>
DII.COE31.HP10.20.CIP 23 May 1997	<i>DII COE V3.1 HP 10.20 Consolidated Installation Procedures</i>
DII.3010.HP1020.KernelP1.IG-1 9 May 1997	<i>DII COE Kernel 3.0.1.0P1 Patch 1 for HP-UX 10.20 Installation Guide</i>
DII.3010.HP1020.KernelP2.IG-1 30 July 1997	<i>DII COE Kernel 3.0.1.0P2 Patch 2 for HP-UX 10.20 Installation Guide</i>
DII.3010.HP1020.KernelP3.IG-1 08 August 1997	<i>DII COE Kernel 3.0.1.0P3 Patch 3 for HP-UX 10.20 Installation Guide</i>
DII.3010.HP1020.KernelP4.IG-1 27 August 1997	<i>DII COE Kernel 3.0.1.0P4 Patch 4 for HP-UX 10.20 Installation Guide</i>

2.2 Non-Government Documents

None.

3 SYSTEM ENVIRONMENT

3.1 System Requirements

3.1.1 Hardware Requirements

The MADBV segment is hosted on the following hardware:

- Tactical Advanced Computer, TAC-3 (HP 750/755)/TAC-4 (HP J210)
- IBM-Compatible Personal Computer (PC)

The following configurations are recommended:

- TAC-3/TAC-4: RAM: 128 MB minimum, 192 MB optimum
Disk Space: 2 GB
Swap Space: 300 MB
- PC: RAM: 32 MB minimum, 128 MB optimum
Disk Space: 2 GB

3.1.2 Operating System Requirements

- TAC-3/TAC-4: HP-UX 10.20
- PC: Windows NT 4.0 with Service Pack 3

3.1.3 Kernel Requirements

- TAC-3/TAC-4: Kernel 3.0.1.0 with patches through P5
- PC: N/A

3.2 System and Site Preparations

3.2.1 System Configuration

The following software must be properly installed prior to loading the MADBV segment:

- Appropriate operating system (as described above),

TAC-3/TAC-4:

- Appropriate DII COE Kernel (as described above),

Windows NT:

- METOC DBDB-V Data Segment (MDDBV) installed on a DII COE database server.

(In order for MADBV, on NT, to connect to the HP hard drive, the system administrator will have to use SAMBA or a similar program.)

3.2.2 Operating System Preparation

Information needed to prepare the operating system is found in these documents:

TAC-3/TAC-4:

- DII COE V3.1 HP 10.20 Consolidated Installation Procedures
- DII COE Kernel 3.0.1.0P1 Patch 1 for HP-UX 10.20 Installation Guide
- DII COE Kernel 3.0.1.0P2 Patch 2 for HP-UX 10.20 Installation Guide
- DII COE Kernel 3.0.1.0P3 Patch 3 for HP-UX 10.20 Installation Guide
- DII COE Kernel 3.0.1.0P4 Patch 4 for HP-UX 10.20 Installation Guide

Windows NT:

- Windows NT 4.0 with Service Pack 3

3.2.3 Tape/Disk Preparation

The MADBV segment software is delivered as follows:

- 4 mm DAT cartridge for the TAC-3/TAC-4 hardware environment
- 3.5" high-density floppy disk(s) for the PC hardware environment

4 INSTALLATION INSTRUCTIONS

MADBV is a component of a DII COE database system. The following procedures describe the installation of the MADBV software.

4.1 Installation on TAC-3/TAC-4 Systems

4.1.1 Media Booting Procedures for TAC-3/TAC-4 Systems

To prepare a tape for installation:

1. Insert the tape in the DAT drive.
2. Log in as sysadmin.
3. Select the System Administration SEGMENT INSTALLER utility under the **Software** pull-down menu.
4. Select the source and click the **Read Contents** button. The contents of the tape appear in the SELECT SOFTWARE TO INSTALL portion of the SEGMENT INSTALLER window.

4.1.2 Installation Procedures for TAC-3/TAC-4 Systems

To install the MADBV software: (NOTE: Prior to segment installation, ensure that no existing MADBV segment is installed on the target platform. If so, select the MADBV segment in the CURRENTLY INSTALLED SEGMENTS section of the window. Select the **Deinstall** button to remove the MADBV segment.)

1. First ensure that the Operating System (OS) and Kernel, with all patches, are installed. Instructions for installing the OS, Kernel, and patches are contained in the HP-UX documentation cited in Section 3.2.2.
2. Install the MADBV segment from the installation tape.
 - Highlight **METOC DBDB-V API Segment**.
 - Click the **Install** button.
3. The INSTALL STATUS dialog box will appear, which will give software loading status in a % format.

4. Once the installation is complete, the SEGMENT INSTALLER window will appear. The **METOC DBDB-V API Segment** will be displayed in the CURRENTLY INSTALLED SEGMENTS section of the window.

4.2 Installation on Windows NT Systems

4.2.1 Media Booting Procedures for Windows NT Systems

1. Insert floppy disk #1 containing the MADBV software into the disk drive. The InstallShield process will prompt the user for the remaining floppy disks as needed.
2. Click on the **Start** button at the lower left side of the screen.
3. Click on **Settings**.
4. Click on **Control Panel**.
5. Click on **Add/Remove Programs**.
6. Ensure that the **Install/Uninstall** tab is selected, and click on the **Install** button. (Note: Prior to segment installation, ensure that no existing MADBV segment is installed on the target platform. If so, select the MADBV segment in the list provided on the window. Select the **Add/Remove** button and confirm the removal of the MADBV segment.)
7. Click on the **Next** button.
8. The Command Line box in the next dialog should show A:\SETUP.EXE. If it does, click the **Finish** button to commence installation.

4.2.2 Installation on Windows NT Systems

The InstallShield installation program will assist you in performing the installation.

1. Upon execution of the setup file, a Welcome window will appear to start the installation process. Click on the **Next** button.
2. A Choose Destination window will appear. Select the **Next** button to accept the default (\h) settings. Follow the directions as described on the MADBV Installation window.
3. At the final window, click on the **Finish** button, and close any windows that remain open.

4.3 Installation of Upgrades

Installation of upgrades will generally follow the same procedures listed above.

4.4 Installation Verification

All successfully installed segments are listed in the CURRENTLY INSTALLED SEGMENTS portion of the INSTALLER window on TAC-3/TAC-4 systems. For Windows NT systems, the Windows NT Add/Remove Programs under the Control Panel can be used to verify the presence of the software in the directories to which it was installed.

4.5 Initializing the Software

This section is tailored out. No initialization of the software is required.

4.6 List of Changes and Enhancements

This section is tailored out. This is an initial installation of MADBV. Discussion of MADBV features may be found in the MADBV API Reference Manual and Programming Manual, cited in Section 2.

4.7 Important Considerations

This section is tailored out.

5 NOTES

5.1 Glossary of Acronyms

AESS	Allied Environmental Support System
API	Application Program Interface
APIRM	API Reference Manual
COE	Common Operating Environment
DBDB-V	Digitized Bathymetric Data Base - Variable resolution
DII	Defense Information Infrastructure
GCCS	Global Command and Control System
IC4ISR	Integrated Command, Control, Communications, Computer, and Intelligence Surveillance Reconnaissance
IMOSS	Interim Mobil Oceanographic Support System
IP	Installation Procedures
JMCIS	Joint Maritime Command Information System
JMS	Joint METOC Segment
LLT	Latitude-Longitude-Time
MADBV	METOC DBDB-V API Segment of the TESS(NC) METOC Database
MDDBV	METOC DBDB-V Data Segment of the TESS(NC) METOC Database
METOC	Meteorology and Oceanography
MIDDS	Meteorological Integrated Data Display System
NITES	Navy Integrated Tactical Environmental Subsystem
OAML	Oceanographic and Atmospheric Master Library
OS	Operating System

PC	Personal Computer
PM	Programming Manual
PS	Performance Specification
SQL	Structured Query Language
SVD	Software Version Description
TESS(NC)	Tactical Environmental Support System Next Century